SAFETY DATA SHEET - WYK SUPER SORBENT



SECTION 1: IDENTIFICATION

Product Name: WYK Super Sorbent

Product Code(s): 2002, 2012, 2015, 2018, 2025, 2028T, 2020, 2030, 2545,

2546, 2055, 2090

SDS Date: January 1, 2023 **General Information:**

WYK Sorbents, LLC • 11721 Lackland Road • St. Louis, MO 63146

314-426-3336 • www.wyksorbents.com

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Potential Health Effects: N/A **GHS Classification:** Not Classified GHS Labeling Symbol:

Signal Word: N/A

Hazard Statements: HNOC: Do Not Use On (hf) hydroflouric acid or

compounds containing (hf). **Precautionary Statements:**

Prevention: None

Response: Sweep up and dispose of in accordance with local, state

& federal regulation.

This product does not contain carcinogens or potential carcinogens as

listed by OSHA, IARC, or NTP.

This material **does not** contain components that are considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Potential Environmental Effects: None

This product is **non hazardous** as defined by CFR 1910.1200.

All elements are chemically and physically bound. This product is certified free of respirable silica using NIOSH Method #7500 & X-ray Defraction Testing.

Typical chemical analysis: SiO2 (66-72%) | Al2O3 (11-17%) | Fe2O3 (2-4%) | CaO (1-4%) | K2O (1.5-4.7%) | Na2O (3-5%)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component		Amorphous Mineral Silicate	Proprietary anti- dusting compound	
CAS Reg. No		CAS-none assigned	CAS-none assigned	
Amount %		99.98%	0.011%	
OSHA	TWA	Not Available	Not Available	
	STEL	Not Available	Not Available	
ACGIH	TWA	Not Available	Not Available	
	STEL	Not Available	Not Available	

SECTION 4: FIRST AID MEASURES

Emergency first aid procedures by route of exposure:

Inhalation: If breathed in, move person into fresh air. If not breathing,

give artificial respiration. Consult a physician if necessary.

Ingestion: Never give anything by mouth to an unconscious person.

Rinse mouth with water. Consult a physician if necessary.

Skin: Wash off with soap and plenty of water.

Eyes: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if necessary.

SECTION 5: FIRE FIGHTING MEASURES

Material is non flammable Flash Point: Not Available

Auto-ignition Temperature: Not Available

Flammable Limits: Not Available

Suitable Extinguishing Media: Not Available

Special Fire Fighting Procedures: Wear self-contained breathing

apparatus for fire-fighting if necessary.

Products of Combustion: Hazardous decomposition products formed

under fire conditions - not available.

HAZARD	нміѕ	NFPA	
Toxicity	0	0	
Fire	0	0	
Reactivity	0	0	

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Protection: Under normal conditions, none required. If dusty, use a NIOSH approved nuisance dust respirator (N95 or equal)

Environmental Precautions: Unused sorbent may be used as a

soil additive.

Method for Containment: Sweep up and dispose of according to local, state & federal regulations.

Methods for Clean-up: Sweep up and dispose of according to local, state & federal regulations Unused sorbent may be used as a soil additive.

SECTION 7: HANDLING AND STORAGE

Handling: Avoid creating dust.

Storage: Keep container dry & tightly closed & sealed until ready for use.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Engineering Controls: Under normal conditions, none required If dusty, provide exhaust ventilation or other engineering controls to keep the airborne concentrations of dust below their respective threshold limit value for non hazardous nuisance dust.

Personal Protective Equipment (PPE)

Respiratory Protection: Not normally required. Wear appropriate respirator when ventilation is inadequate.

Eye/Face Protection: Not normally required. Safety glasses with side shields are recommended as minimum protection in industrial settings.

Hand Protection: Not normally required.

Body: Not normally required. Other Protective Equipment: None

continued on back

SAFETY DATA SHEET - WYK SUPER SORBENT continued



SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance, State	Granular	
Color	Gray	
Odor	Odorless	
pH (as is)	Not Available	
Vapor Density	Not Available	
Boiling Range	Not Available	
Vapor Pressure	Not Available	
Melting Point	2300°C	
Freezing Point	0°C	
Flash Point	(See Section 5)	
Flammability Properties	(See Section 5)	
Solubility (in water)	Negligible	
Specific Gravity	Not Available	
Evaporation Rate	Not Available	
Octanol/Water Partition Coefficient (KOW)	Not Available	
Auto-ignition temperature	Not Available	
Decomposition temperature	Not Available	

SECTION 10: STABILITY AND REACTIVITY

Stability: This material is considered stable. **Condition to Avoid:** No data available.

Incompatible Materials: hydroflouric acid (hf) Contact with (hf) will produce

highly toxic silicon tetrafluoride gas. **Hazardous Decomposition:** See Above.

Hazardous Reactions: This product will not undergo polymerization.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects: None Chronic Effects: None

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

SECTION 14: TRANSPORTATION INFORMATION

Not regulated as a dangerous good.

SECTION 15: REGULATORY INFORMATION

TSCA Inventory: This product and/or its components are not listed on the Toxic Substances Control Act (TSCA) inventory.

SARA 302/304: The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires facilities subject to Subparts 302 and 304 to submit emergency planning and notification information based on Threshold Planning Quantities (TPQs) and Reportable Quantities (RQs) for "Extremely Hazardous Substances" listed in 40 CFR 302.4 and 40 CFR 355. **Not listed.**

CERCLA: The Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) requires notification of the National Response Center concerning release of quantities of "hazardous substances" equal to or greater than the reportable quantities (RQ's) listed in 40 CFR 302.4. As defined by CERCLA, the term "hazardous substance" does not include petroleum, including crude oil or any fraction thereof which is not otherwise specifically designated in 40 CFR 302.4. Chemical substances present in this product or refinery stream that may be subject to this statute are: Not listed.

SARA 311/312 Hazard: The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires facilities subject to this subpart to submit aggregate information on chemicals by "Hazard Category" as defined in 40 CFR 370.2. This material would be classified under the following hazard categories: **Non Hazardous.**

SARA 313: This material <u>does not</u> contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65 Components: This product <u>does not</u> contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: OTHER SUPPLEMENTAL INFORMATION

Disclaimer: Prepared by WYK Sorbents, LLC on January 1, 2023

The information and recommendations contained in the Material Safety Data Sheet (MSDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

WYK Sorbents, LLC, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will WYK Sorbents, LLC be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. <u>User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations.</u>

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY WYK SORBENTS, LLC HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.

SAFETY DATA SHEET



SECTION 1: IDENTIFICATION

Product Name: Poly based Universal Sorbent Pads, Rolls, Socks, Booms

Product Code(s): All 200, 400, 4000 series stock numbers

SDS Date: January 1, 2023 General Information:

WYK Sorbents, LLC • 11721 Lackland Road • St. Louis, MO 63146

314-426-3336 • www.wyksorbents.com

SECTION 2: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Potential Health Effects: N/A

GHS Labeling Symbol:

Signal Word: N/A

Hazard Statements: N/A

Precautionary Statements: N/A

Prevention: None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component		Polypropylene	Surfactant	Gray Pigment
CAS Reg. No		CAS- #9003-07-0	CAS- none assigned	CAS- none assigned
Amount %		98.3%%	1.4%1%	0.03%
OSHA	TWA	Not Available	Not Available	Not Available
	STEL	Not Available	5 mg/m3	Not Available
ACGIH	TWA	Not Available	Not Available	Not Available
	STEL	Not Available	Not Available	Not Available

SECTION 4: FIRST AID MEASURES

Inhalation: N/A Ingestion: N/A Skin: N/A

Eyes: Rinse thoroughly with plenty of water for at least 15 minutes and

consult a physician if necessary.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point: Not Available

Auto-ignition Temperature: Not Available

Flammable Limits: Not Available

Suitable Extinguishing Media: Unused form: not applicable Used form: that which is compatible to liquid(s) absorbed.

Special Fire Fighting Procedures: None

Products of Combustion: When heated above the melting point: carbon

monoxide, carbon dioxide, acrolein, ketones, aldehydes and

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Protection: None

Environmental Precautions: None

Method for Containment: Sweep up and dispose of according to local,

state & federal regulations.

Methods for Clean-up: Unused sorbent may be disposed of as a non-

hazardous material.

SECTION 7: HANDLING AND STORAGE

Handling: None

Storage: Store in a cool, dry place not exposed to sunlight.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Engineering Controls: Not required

Personal Protective Equipment (PPE): Not required, See SDS of liquid to

be cleaned up.

Eye/Face Protection: Not required, See SDS of liquid to be cleaned up. **Hand Protection:** Not required, See SDS of liquid to be cleaned up.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance, State	Pads, Sheets, Rolls, Socks, Pillows, Booms	
Color	Gray, Yellow	
Odor	Odorless	
рН	N/A	
Vapor Density		
Boiling Range		
Vapor Pressure	N/A	
Melting Point	>160°C (>320°F)	
Freezing Point		
Flash Point	N/A	
Flammability Properties	N/A	
Solubility (in water)	Insoluble	
Evaporation Rate		
Octanol/Water Partition		
Auto-ignition temperature	357°C (675°F)	
Decomposition temperature		

continued on back

SAFETY DATA SHEET, continued



SECTION 10: STABILITY AND REACTIVITY

Stability: This material is considered stable. **Condition to Avoid:** No data available.

Incompatible Materials: None

Hazardous Decomposition: When heated to melting point, may emit

toxic fumes.

Hazardous Reactions: None

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects: None Chronic Effects: None

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

Unused: none. Disposal must be in accordance with local, state & federal regulation. Refer to liquid cleaned up.

SECTION 14: TRANSPORTATION INFORMATION

Not regulated as a dangerous good.

SECTION 15: REGULATORY INFORMATION

TSCA Inventory: Ingredients are on the inventory list.

CERCLA: Comprehensive Environmental Response Compensation and

Liability Act: no Reportable Quantity.

OSHA 29 CFR 1910.1200: No listed ingredients.

SARA Title III Hazard: No listed ingredients.

SECTION 16: OTHER SUPPLEMENTAL INFORMATION

Disclaimer: Prepared by WYK Sorbents, LLC on January 1, 2023

The information and recommendations contained in the Material Safety Data Sheet (MSDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

WYK Sorbents, LLC, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will WYK Sorbents, LLC be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. <u>User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations.</u>

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY CHEMISPHERE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this MSDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.