## SAFETY DATA SHEET



#### **SECTION 1: IDENTIFICATION**

Product Name: WYK Brand Solidifying Sorbent Socks & Pillows

Product Code(s): 600, 606, 608, 610, 612, 630, 640, 641, 660

SDS Date: January 1, 2023

#### **General Information:**

WYK Sorbents, LLC • 11721 Lackland Road • St. Louis, MO 63146 314-426-3336 • www.wyksorbents.com

### SECTION 2: HAZARDS IDENTIFICATION

GHS

#### **EMERGENCY OVERVIEW:**

Potential Health Effects: N/A

GHS Classification: Not Classified

GHS Labeling Symbol:

Signal Word: N/A

Hazard Statements: N/A

**Precautionary Statements:** 

Prevention: None

**Response:** Sweep up and dispose of in accordance with local, state & federal regulation.

This product <u>does not</u> contain carcinogens or potential carcinogens as listed by OSHA, IARC, or NTP.

This material <u>does not</u> contain components that are considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### Potential Environmental Effects: None

This product is non hazardous as defined by CFR 1910.1200.

All elements are chemically and physically bound. This product contains less than 0.1% crystalline silica and an even lower percentage 0.05% of particles of respirable size.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component		Spunlaced fabric skin	Sodium Potassium Aluminum Silicate
CAS Reg.	No	CAS-none assigned	CAS-#93763-70-3
Amount %		11%	89%
OSHA	TWA	Not Available	Not Available
	STEL	Not Available	Not Available
ACGIH TWA		Not Available	Not Available
ACGIN	STEL	Not Available	Not Available

#### **SECTION 4:** FIRST AID MEASURES

#### Emergency first aid procedures by route of exposure:

**Inhalation:** No inhalation risk unless sock/pillow skin is broken. Treat as a nuisance dust.

**Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water and consult a physician if necessary.

Skin: Wash off with soap and plenty of water.

**Eyes:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if necessary.

## SECTION 5: FIRE FIGHTING MEASURES

Material is non flammable

Flash Point: Not Available

Auto-ignition Temperature: Not Available

Flammable Limits: Not Available

Suitable Extinguishing Media: Not Available

**Special Fire Fighting Procedures:** Wear self-contained breathing apparatus for fire-fighting if necessary.

**Products of Combustion:** Hazardous decomposition products formed under fire conditions – not available.

HAZARD	HMIS	NFPA
Toxicity	0	0
Fire	0	0
Reactivity	0	0

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal Protection:** Under normal conditions, none required. If socks/ pillows are broken, use a NIOSH approved nuisance dust respirator (N95 or equal).

**Environmental Precautions:** Unused sorbent may be used as a soil additive .

**Method for Containment:** Sweep up and dispose of according to local, state & federal regulations.

**Methods for Clean-up:** Sweep up and dispose of according to local, state & federal regulations Unused sorbent may be used as a soil additive.

#### SECTION 7: HANDLING AND STORAGE

Handling: Avoid breaking sock/pillow skin.

Storage: Keep container dry & tightly closed & sealed until ready for use.

#### SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

**Engineering Controls:** Under normal conditions, none required If sock/ pillow is broken, provide exhaust ventilation or other engineering controls to keep the airborne concentrations of dust below their respective threshold limit value for non hazardous nuisance dust.

#### Personal Protective Equipment (PPE)

**Respiratory Protection:** Not normally required. Wear appropriate respirator when ventilation is inadequate.

Eye/Face Protection: Not normally required. Safety glasses with side shields are recommended as minimum protection in industrial settings.

Hand Protection: Not normally required.

Body: Not normally required.

Other Protective Equipment: None



#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance, State	Granular
Color	White
Odor	Odorless
pH (as is)	Not Available
Vapor Density	Not Available
Boiling Range	Not Available
Vapor Pressure	Not Available
Melting Point	2300°C
Freezing Point	Not Available
Flash Point	(See Section 5)
Flammability Properties	(See Section 5)
Solubility (in water)	Negligible
Specific Gravity	2.35
Evaporation Rate	Not Available
Octanol/Water Partition Coefficient (KOW)	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

#### SECTION 10: STABILITY AND REACTIVITY

Stability: This material is considered stable

Condition to Avoid: No data available.

Incompatible Materials: hydrofluoric acid (hf). Toxic silicon tetrafluoric gas will result with contact with hydrofluoric acid.

Hazardous Decomposition: See Above.

**Hazardous Reactions:** hydrofluoric acid (hf). Toxic silicon tetrafluoric gas will result with contact with hydrofluoric acid.

## SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects: None

Chronic Effects: None

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: N/A

## SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

## SECTION 14: TRANSPORTATION INFORMATION

Not regulated as a dangerous good.

## SECTION 15: REGULATORY INFORMATION

**TSCA Inventory:** Sorbent filler is included as a naturally occurring mineral, not chemically modified.

**SARA 302/304:** The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires facilities subject to Subparts 302 and 304 to submit emergency planning and notification information based on Threshold Planning Quantities (TPQs) and Reportable Quantities (RQs) for "Extremely Hazardous Substances" listed in 40 CFR 302.4 and 40 CFR 355. <u>Not listed.</u>

**CERCLA:** The Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) requires notification of the National Response Center concerning release of quantities of "hazardous substances" equal to or greater than the reportable quantities (RQ's) listed in 40 CFR 302.4. As defined by CERCLA, the term "hazardous substance" does not include petroleum, including crude oil or any fraction thereof which is not otherwise specifically designated in 40 CFR 302.4. Chemical substances present in this product or refinery stream that may be subject to this statute are: <u>Not listed.</u>

**SARA 311/312 Hazard:** The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires facilities subject to this subpart to submit aggregate information on chemicals by "Hazard Category" as defined in 40 CFR 370.2. This material would be classified under the following hazard categories: <u>Non Hazardous.</u>

**SARA 313:** This material <u>does not</u> contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop. 65 Components:** This product <u>does not</u> contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## SECTION 16: OTHER SUPPLEMENTAL INFORMATION

#### Disclaimer: Prepared by WYK Sorbents, LLC on January 1, 2023

The information and recommendations contained in the Material Safety Data Sheet (MSDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

WYK Sorbents, LLC, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will WYK Sorbents, LLC be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. <u>User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations.</u>

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY WYK SORBENTS, LLC HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.

## SAFETY DATA SHEET - WYK SUPER SORBENT



#### SECTION 1: IDENTIFICATION

#### Product Name: WYK Super Sorbent

**Product Code(s):** 2002, 2012, 2015, 2018, 2025, 2028T, 2020, 2030, 2545, 2546, 2055, 2090

SDS Date: January 1, 2023

#### **General Information:**

WYK Sorbents, LLC • 11721 Lackland Road • St. Louis, MO 63146 314-426-3336 • www.wyksorbents.com

#### SECTION 2: HAZARDS IDENTIFICATION

GHS

#### **EMERGENCY OVERVIEW:**

Potential Health Effects: N/A

GHS Classification: Not Classified

GHS Labeling Symbol:

Signal Word: N/A

Hazard Statements: HNOC: Do Not Use On (hf) hydroflouric acid or compounds containing (hf).

**Precautionary Statements:** 

Prevention: None

**Response:** Sweep up and dispose of in accordance with local, state & federal regulation.

This product <u>does not</u> contain carcinogens or potential carcinogens as listed by OSHA, IARC, or NTP.

This material <u>does not</u> contain components that are considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### Potential Environmental Effects: None

This product is non hazardous as defined by CFR 1910.1200.

All elements are chemically and physically bound. This product is certified free of respirable silica using NIOSH Method #7500 & X-ray Defraction Testing.

**Typical chemical analysis:** SiO2 (66-72%) | Al2O3 (11-17%) | Fe2O3 (2-4%) | CaO (1-4%) | K2O (1.5-4.7%) | Na2O (3-5%)

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component		Amorphous Mineral Silicate	Proprietary anti- dusting compound	
CAS Reg. No		CAS-none assigned	CAS-none assigned	
Amount %		99.98%	0.011%	
OSHA	TWA	Not Available	Not Available	
USHA	STEL	Not Available	Not Available	
ACGIH		Not Available	Not Available	
ACGIN	STEL	Not Available	Not Available	

#### **SECTION 4:** FIRST AID MEASURES

#### Emergency first aid procedures by route of exposure:

**Inhalation:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician if necessary.

**Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician if necessary.

Skin: Wash off with soap and plenty of water.

**Eyes:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if necessary.

#### **SECTION 5:** FIRE FIGHTING MEASURES

Material is non flammable

Flash Point: Not Available

Auto-ignition Temperature: Not Available

Flammable Limits: Not Available

Suitable Extinguishing Media: Not Available

**Special Fire Fighting Procedures:** Wear self-contained breathing apparatus for fire-fighting if necessary.

**Products of Combustion:** Hazardous decomposition products formed under fire conditions – not available.

HAZARD	HMIS	NFPA
Toxicity	0	0
Fire	0	0
Reactivity	0	0

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal Protection:** Under normal conditions, none required. If dusty, use a NIOSH approved nuisance dust respirator (N95 or equal)

**Environmental Precautions:** Unused sorbent may be used as a soil additive.

**Method for Containment:** Sweep up and dispose of according to local, state & federal regulations.

**Methods for Clean-up:** Sweep up and dispose of according to local, state & federal regulations Unused sorbent may be used as a soil additive.

#### SECTION 7: HANDLING AND STORAGE

Handling: Avoid creating dust.

Storage: Keep container dry & tightly closed & sealed until ready for use.

## SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

**Engineering Controls:** Under normal conditions, none required If dusty, provide exhaust ventilation or other engineering controls to keep the airborne concentrations of dust below their respective threshold limit value for non hazardous nuisance dust.

#### **Personal Protective Equipment (PPE)**

**Respiratory Protection:** Not normally required. Wear appropriate respirator when ventilation is inadequate.

**Eye/Face Protection:** Not normally required. Safety glasses with side shields are recommended as minimum protection in industrial settings.

Hand Protection: Not normally required.

Body: Not normally required.

Other Protective Equipment: None



#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance, State	Granular
Color	Gray
Odor	Odorless
pH (as is)	Not Available
Vapor Density	Not Available
Boiling Range	Not Available
Vapor Pressure	Not Available
Melting Point	2300°C
Freezing Point	0°C
Flash Point	(See Section 5)
Flammability Properties	(See Section 5)
Solubility (in water)	Negligible
Specific Gravity	Not Available
Evaporation Rate	Not Available
Octanol/Water Partition Coefficient (KOW)	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

#### SECTION 10: STABILITY AND REACTIVITY

Stability: This material is considered stable.

Condition to Avoid: No data available.

**Incompatible Materials:** hydroflouric acid (hf) Contact with (hf) will produce highly toxic silicon tetrafluoride gas.

Hazardous Decomposition: See Above.

Hazardous Reactions: This product will not undergo polymerization.

## SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects: None Chronic Effects: None

#### **SECTION 12:** ECOLOGICAL INFORMATION

Ecotoxicity: N/A

## SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of in accordance with local, state, and federal regulations.

## SECTION 14: TRANSPORTATION INFORMATION

Not regulated as a dangerous good.

## SECTION 15: REGULATORY INFORMATION

**TSCA Inventory:** This product and/or its components are not listed on the Toxic Substances Control Act (TSCA) inventory.

**SARA 302/304:** The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires facilities subject to Subparts 302 and 304 to submit emergency planning and notification information based on Threshold Planning Quantities (TPQs) and Reportable Quantities (RQs) for "Extremely Hazardous Substances" listed in 40 CFR 302.4 and 40 CFR 355. <u>Not listed.</u>

**CERCLA:** The Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) requires notification of the National Response Center concerning release of quantities of "hazardous substances" equal to or greater than the reportable quantities (RQ's) listed in 40 CFR 302.4. As defined by CERCLA, the term "hazardous substance" does not include petroleum, including crude oil or any fraction thereof which is not otherwise specifically designated in 40 CFR 302.4. Chemical substances present in this product or refinery stream that may be subject to this statute are: **Not listed.** 

**SARA 311/312 Hazard:** The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires facilities subject to this subpart to submit aggregate information on chemicals by "Hazard Category" as defined in 40 CFR 370.2. This material would be classified under the following hazard categories: <u>Non Hazardous.</u>

**SARA 313:** This material <u>does not</u> contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**California Prop. 65 Components:** This product <u>does not</u> contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## SECTION 16: OTHER SUPPLEMENTAL INFORMATION

#### Disclaimer: Prepared by WYK Sorbents, LLC on January 1, 2023

The information and recommendations contained in the Material Safety Data Sheet (MSDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

WYK Sorbents, LLC, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will WYK Sorbents, LLC be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. <u>User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations.</u>

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY WYK SORBENTS, LLC HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this SDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.

## SAFETY DATA SHEET



#### **SECTION 1: IDENTIFICATION**

Product Name: Poly based Universal Sorbent Pads, Rolls, Socks, Booms

Product Code(s): All 200, 400, 4000 series stock numbers

SDS Date: January 1, 2023

**General Information:** 

WYK Sorbents, LLC • 11721 Lackland Road • St. Louis, MO 63146 314-426-3336 • www.wyksorbents.com

#### SECTION 2: HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW:** 

Potential Health Effects: N/A

GHS Labeling Symbol:

Signal Word: N/A

Hazard Statements: N/A

Precautionary Statements: N/A

Prevention: None

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component		Polypropylene	Surfactant	Gray Pigment
CAS Reg.	No	CAS- #9003-07-0	CAS- none assigned	CAS- none assigned
Amount %		98.3%%	1.4%1%	0.03%
OSHA	TWA	Not Available	Not Available	Not Available
	STEL	Not Available	5 mg/m3	Not Available
ACGIH	TWA	Not Available	Not Available	Not Available
	STEL	Not Available	Not Available	Not Available

## SECTION 4: FIRST AID MEASURES

Inhalation: N/A

Ingestion: N/A

Skin: N/A

**Eyes:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if necessary.

#### **SECTION 5: FIRE FIGHTING MEASURES**

Flash Point: Not Available

Auto-ignition Temperature: Not Available

Flammable Limits: Not Available

**Suitable Extinguishing Media:** Unused form: not applicable Used form: that which is compatible to liquid(s) absorbed.

#### Special Fire Fighting Procedures: None

**Products of Combustion:** When heated above the melting point: carbon monoxide, carbon dioxide, acrolein, ketones, aldehydes and

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Protection: None

Environmental Precautions: None

**Method for Containment:** Sweep up and dispose of according to local, state & federal regulations.

**Methods for Clean-up:** Unused sorbent may be disposed of as a non-hazardous material.

#### SECTION 7: HANDLING AND STORAGE

Handling: None

Storage: Store in a cool, dry place not exposed to sunlight.

#### SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Engineering Controls: Not required

**Personal Protective Equipment (PPE):** Not required, See SDS of liquid to be cleaned up.

**Eye/Face Protection:** Not required, See SDS of liquid to be cleaned up. **Hand Protection:** Not required, See SDS of liquid to be cleaned up.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance, State	Pads, Sheets, Rolls, Socks, Pillows, Booms	
Color	Gray, Yellow	
Odor	Odorless	
рН	N/A	
Vapor Density		
Boiling Range		
Vapor Pressure	N/A	
Melting Point	>160°C (>320°F)	
Freezing Point		
Flash Point	N/A	
Flammability Properties	N/A	
Solubility (in water)	Insoluble	
Evaporation Rate		
Octanol/Water Partition		
Auto-ignition temperature	357°C (675°F)	
Decomposition temperature		

continued on back



#### SECTION 10: STABILITY AND REACTIVITY

Stability: This material is considered stable.

Condition to Avoid: No data available.

Incompatible Materials: None

Hazardous Decomposition: When heated to melting point, may emit toxic fumes.

Hazardous Reactions: None

## SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects: None Chronic Effects: None

#### SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity: N/A

#### SECTION 13: DISPOSAL CONSIDERATIONS

Unused: none. Disposal must be in accordance with local, state & federal regulation. Refer to liquid cleaned up.

#### SECTION 14: TRANSPORTATION INFORMATION

Not regulated as a dangerous good.

#### SECTION 15: REGULATORY INFORMATION

TSCA Inventory: Ingredients are on the inventory list.

**CERCLA:** Comprehensive Environmental Response Compensation and Liability Act: no Reportable Quantity.

OSHA 29 CFR 1910.1200: No listed ingredients.

SARA Title III Hazard: No listed ingredients.

## SECTION 16: OTHER SUPPLEMENTAL INFORMATION

#### Disclaimer: Prepared by WYK Sorbents, LLC on January 1, 2023

The information and recommendations contained in the Material Safety Data Sheet (MSDS) are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. The information and recommendations set forth herein are presented in good faith and believed to be correct as of this date hereof.

WYK Sorbents, LLC, however, makes no representation as to the completeness or accuracy thereof, and information is supplied upon the express condition that the persons receiving the information will be required to make their own determination as to its suitability for their purposes prior to use. In no event will WYK Sorbents, LLC be responsible for any damages of any nature whatsoever resulting from the use of, reliance upon, or the misuse of this information. <u>User assumes all risk of use, storage and handling of the product in compliance with applicable federal, state and local laws and regulations.</u>

NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR OF ANY OTHER NATURE, ARE MADE BY CHEMISPHERE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH THE INFORMATION REFERS. The information as supplied herein is simply to be informative and intended solely to alert the user of the substance which is the subject matter of this MSDS. The ultimate compliance with federal, state or local regulations concerning the use of this compound, or compliance with respect to product liability, rests solely upon the purchaser thereof.

This information relates to the material designated and may not be valid for such material used in combination with any other materials nor in any process.